

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

STATE PUBLIC HEALTH LABORATORY

BREATH ALCOHOL PROGRAM

INTOX EC/IR II MAINTENANCE REPORT

RECEIVED

By Carol Day at 2:59 pm, Mar 25, 2015 : #3

| comprete this report at the time of | On the this worst at the time of the vegular monthly properties maintained world was a suggest to | | | | |
|--|---|--|--|--|--|
| Complete this report at the time of the regular monthly preventive maintenance cneck (not to exceed 35 | | | | | |
| days). Complete this report whenever the instrument is serviced or repaired and whenever it is placed into service. Retain the original and send a copy within 15 days to the Breath Alcohol Program, DHSS. | | | | | |
| INTO SERVICE, RETAIN THE ORIGINAL | | Breath Alcohol Program, DHSS. DATE OF INSPECTION | | | |
| | NAME OF AGENCY | | | | |
| 12684 | SPRINGFIELD POLICE DEPT | 03/25/2015 | | | |
| LOCATION OF INSTRUMENT (STREET AND CITY |) | TIME OF INSPECTION | | | |
| 2620 W BATTLEFIELD SPRINGFIELD | | 10:34 CDT | | | |
| CHECKLIST: Place a mark in the box by each item if found to be satisfactory or is operating within | | | | | |
| established limits. (Write in obse | rved values where determined). Unmar | ked items must be corrected | | | |
| before using instrument. | | | | | |
| X DIAGNOSTIC RECORD | | | | | |
| X BLANK CHECK | Х СО2 СНЕСК | A CONTROL OFFICE AND A CONTROL OF A CONTROL | | | |
| X FC 1 TEMP | X FLOW CHECK | | | | |
| | X FCB CHECK | | | | |
| X SRC TEMP | | | | | |
| X DET TEMP | X CRC COMP CHE | | | | |
| X BT TEMP | X CRC CAL CHEC | K | | | |
| X STD 2 TEMP | X PRINT TEST | | | | |
| Х ЕТН СНЕСК | | | | | |
| | | to the state of th | | | |
| BREATH ANALYZER ACCURACY STANDA | | | | | |
| SIMULATOR SOLUTION | X COMPRESSED E | THANOL-GAS MIXTURE | | | |
| X STANDARD SUPPLIER INTOX | IMETERS LOT# AG322402 | EXP. DATE 08/12/2015 | | | |
| SIMULATOR TEMP (34°C +0.2°C) | SIMULATOR S/N | SIMULATOR EXP DATE | | | |
| _ | | | | | |
| | | | | | |
| X CALIBRATION CHECK - (ONLY ONE | STANDARD IS TO BE USED PER MAIN | TENANCE REPORT) | | | |
| Run three tests using a stand | lard solution. All three tests m | ust be within +5% of the standard value | | | |
| and must have a spread of .00 | 5 or less. Mark the box corresp | onding to the standard solution being | | | |
| used. (PRINTOUT ATTACHED) | | | | | |
| X 0.10% STANDARD - MUST READ BETWEEN 0.095% AND 0.105% INCLUSIVE | | | | | |
| X 0.10% STANDARD - MUST READ | BETWEEN 0.095% AND 0.105% INCLUS | IVE | | | |
| | | | | | |
| 0.08% STANDARD - MUST READ | BETWEEN 0.076% AND 0.084% INCLUS | IVE | | | |
| 0.08% STANDARD - MUST READ | | IVE | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS | IVE IVE | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L | TEST 3 . 0.099 g/210L | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS | TEST 3 . 0.099 g/210L | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO RE | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO RE | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTESATISFACTORILY AND WITHIN ESTABLISHED LI | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO RE | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO RE | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTESATISFACTORILY AND WITHIN ESTABLISHED LI | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO RE | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTESATISFACTORILY AND WITHIN ESTABLISHED LI | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO RE | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO RE | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO REMITS (USE OTHER SIDE IF NECESSARY). | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO REMITS (USE OTHER SIDE IF NECESSARY). | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO REMITS (USE OTHER SIDE IF NECESSARY). PRINT FULL NAME D'ANDREA, TON | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT NOMBER EXPIRA | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO REMITS (USE OTHER SIDE IF NECESSARY). PRINT FULL NAME D'ANDREA, TON FION DATE D'ANDREA, TON | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRA 230183 | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO REMITE (USE OTHER SIDE IF NECESSARY). PRINT FULL NAME D'ANDREA, TON FION DATE 4/2015 (417) 864-1810 | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE | | | |
| 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT NOMBER EXPIRA | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO REMITE (USE OTHER SIDE IF NECESSARY). PRINT FULL NAME D'ANDREA, TON FION DATE 4/2015 (417) 864-1810 | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE | | | |
| O.08% STANDARD - MUST READ O.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 0 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER 230183 RETURN COMPLETED REPORT TO | BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SING .0509 0 .1014 0 RATION OR MODIFICATION THAT WAS MADE TO REMITE (USE OTHER SIDE IF NECESSARY). PRINT FULL NAME D'ANDREA, TON FION DATE 4/2015 (417) 864-1810 | TEST 3 0.099 g/210L CE THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE | | | |



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100

Fax: (314) 533-7328

Certificate of Analysis

Gustomer Name

Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 Test Date: 13-Aug-2013

Lot # AG322402

Exp. Date

Cyl. Type

Component

Certified Concentration

12-Aug-2015 108

Ethanol Nitrogen 0.100 ± 2% BrAC (272 ppm)

Balance '

Certification Traceable to N.I.S.T. RGM Ethanol Standards:

| Serial No. EB0010581 | Concentration 391.8 ppm | <u>Serial No.</u> EB0010603 | Concentration 392.5 ppm |
|-------------------------|----------------------------|--------------------------------|----------------------------|
| EB0010570 | 259.8 ppm | EB0010559 | 258.9 ppm |
| EB0010285 | 209.0 ppm | EB0010595 | 208.9 ppm |
| EB0010561 | 103.7 ppm | EB0010562 | 104.9 ppm |
| EB0010681 | 52.22 ppm | EB0010579 | 52.94 ppm |

Analytical Method:

NDIR

Digitally signed by Quality Control Date: 2013.08.13 14:31:53 -05:00 Reason: Dry gas standard certification of analysis Location: Airpas USA LLC (Lab)

Analýst:

Rod Marsala

ISO 17025:2005 A2LA accredited. Certificate Number 2989.01



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES
BREATH ALCOHOL PROGRAM



PERMIT TYPE II

TONY D'ANDREA

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

DATAMASTER, INTOX EC/IR II

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

| 0/4/2012 | want |
|------------------------|--|
| DATE9/4/2013 | DIRECTOR OF STATE PUBLIC HEALTH LABORATORY |
| NUMBER 230183 | Dal Vasterly |
| EXPIRES 9/4/2015 | acting director DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES |
| 10 - 10 - 10 - 10 - 10 | LAS-4 (R5-10) |

MO 580-9771 (6-10)

STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES
BREATH ALCOHOL PROGRAM

INSTRUMENT OPERATOR CARD

The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the alcoholic content in breath form of expired al

Operator D'ANDREA, TONY Permit No. 230183

Permit No 230183 Date Issued 9/4/2013 Date Expires 9/4/2015